

TECHNICAL DATA SHEET

G4000


Eye protection

Article NO: E4039


Lens: clear
Material- lens: polycarbonate
Material- frame: polypropylene
Material- face sealing: AES Santropene



Goggles with innovative styling with blue tinted transparent frame and 25-mm long adjustable rubber band. Small size makes the goggles especially suitable to be worn under protective helmets. Their fit well even on slim faces. Clear polycarbonate lens are made from one piece, protect against UV radiation and are resistant to medium-energy shocks (up to 120 m/s) at extreme temperatures (-5 °C - +55 °C). These goggles provide maximum protection, unusually big field of view and comfort because of indirect aeration system.



Adjustable temple length - NO



Adjustable temple angle - NO



Anti-fogging lens - YES



Anti-scratching lens - YES

Clear lens, UV, 1 BT 9 0

| | |
|------------------------|--|
| Type of the filter: | UV filter |
| Shade number: | clear lens |
| Optical class: | 1 permanent use |
| Mechanical resistance: | BT resistant to medium-energy shocks at extreme temperatures |
| Suitable use: | 9 molten metal and hot solid substances |
| Type of the lens: | 0 original lens |



This personal protective equipment is in conformity with these harmonized European Standards:

EN 166:2001 : Personal eye protection. General requirements.

Certified by notified body no. 0086 (BSI, Kitemark House, Maylands Avenue, Hemel Hempstead HP2 4SQ, United Kingdom),
Certificate number 68016, dated 25th April 2012.

| | |
|---------------------------|----------------------|
| Pieces in carton: | 200 |
| Pieces in box: | 10 |
| Polybag packing (pieces): | 1 |
| Carton weight: | 10 kg |
| Carton size: | 0,095 m ³ |

Store in dry and dark environment away from direct sunlight at temperatures of -5°C to +55°C, relative humidity 90% and out of sources of gasoline vapors and solvents.

It is recommended to clean after each use. Clean at room temperature with a clean cloth, lightly moistened with a concentrated solution of water and detergent. Do not use hot water, fuel, degreasing fluids, organic solvents or abrasive cleaners.
