


PRODUCT DATA SHEET

MaxiFlex® Endurance™ with AD-APT® 42-848

Colour – Coating	Black
Colour – Liner	Orange
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Palm thickness (mm)	1.10



Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/- 10 mm)	185	195	210	220	225	230	235	240
Wrist length (mm)	55	55	60	60	65	65	65	68
Wrist width (mm)	65	65	65	70	70	70	75	75
Palm width (mm)	78	82	84	90	97	100	104	107
Over lock colour	Purple	Blue	Red	Orange	White	Yellow	Black	Grey

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018 M	TÜV Rheinland	4131A



PRODUCT DATA SHEET

MaxiFlex® Endurance™ with AD-APT® 42-848

Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 M A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 M B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 M C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 M D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 M E. Cut Resistance ISO	≥ 2 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	60°C/140°F
Sanitized®	Yes



Special features

AD-APT®	Yes
Touchscreen compatible	Yes



PRODUCT DATA SHEET

MaxiFlex® Endurance™ with AD-APT® 42-848

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	24	26	30	38	40	42	44	50
Gross weight (kg)	4.5	5.1	5.7	6.8	7.1	7.4	7.7	8.2
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	3.5	4.1	4.7	5.8	6.1	6.4	6.7	7.2

Issue date: 27/07/2020

