

TECHNICAL DATA SHEET

BLENDSAN S1P SRC

Safety shoes

Article NO: G3167

Upper: nubuck, textile

Sole: PU/PU

Size: 36 - 48



Safety black sandal with upper from nubuck and textile with ultra-light composite toe. Shoes without metal components. Flexible kevlar inner lining provides protection against puncture. On the shoes is also the loop for easy slip and reflective parts for higher visibility.

Type and degree of protection:

Category	EN ISO 20345
Antistatic properties	х
Absorption of energy in the heel area	х
Sole with pattern- oil resistance	х
Puncture resistance (kevlar protective insole)	х
Composite safety toecap for toe protection	х
Slip resistant ceramic tile floor with SLS and on steel floor with glycerol (SRC)	х













This personal protective equipment is in conformity with this harmonized European Standard:

EN ISO 20344:2011: Personal protective equipment - Test methods for shoes.

EN ISO 20345:2011: Personal protective equipment - Safety shoes.

Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol (SRC mark).



Certified by notified body no. 0193 (Prüf-und Forschungsinstitut Pirmasens e. V.) dated 9th January 2015, Certificate number 1500217 02 86.

Pairs in carton: 10

Carton weight: 16,97 kg³ Carton size: 0,102 m³

The shoes have to be perfect as for from and size, because they have rigid parts. The right size has to be found by measuring practically and carefully the shoes. The closing system has to be used correctly. The laces have to be tightened well without leaving too long free tops. The shoes have to be cleaned and treated with right, specific products, following the instructions for use. Do not keep footwear near heatings when not used and let them dry in a windy or room temperature. Before wearing and when cleaned, the shoes have to be controlled in order to find out visible defects existing, like closing system function, outsole profile's water, possible damages, etc. To define the right type of footwear to wear in every environment, the possible dangers and the place/ environment have to be indeded (e.g. construction industry, high temperatures, etc.). The shoes have to be stored correctly, keeping them in the proper packing.