

## TECHNICAL DATA SHEET

### VERNOR S1P SRC ESD

#### Safety shoes

Article NO: G3215

Upper: microfiber/textile

Sole: PU/ PU

Description: safety shoes with composite fiber toe cap, flexible kevlar insole

Size: 36 - 48



Safety shoes with composite fiber toe cap, flexible kevlar insole. Black-green colour, no metal parts. Flexible kevlar insole protects the entire area of the foot. ESD anti-static shoes protects electrostatically sensitive components from electrostatic discharges and fields.

#### Type and degree of protection:

Category	EN ISO 20345
Antistatic properties	x
Absorption of energy in the heel area	x
Sole with pattern- oil resistance	x
Puncture resistance (kevlar steel insole)	x
Composite safety toecap for toe protection	x
Slip resistant ceramic tile floor with SLS and on steel floor with glycerol (SRC)	x



This personal protective equipment is in conformity with this harmonized European Standard:

EN ISO 20345:2011 : Personal protective equipment - safety shoes.



EN ISO 61340-4-3:2001 : Electrostatics - Part 4-3: Standard test methods for specific applications - Shoes

Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol (SRC mark).

Certified by notified body no. 0362 (Intertek, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK) - dated 29<sup>th</sup> November 2016, certificate no. LEC FI00365923.

---

Pairs in carton:	10
Carton weight:	16,64 kg
Carton size:	0,102 m <sup>3</sup>

---

The shoes have to be perfect as for from and size, because they have rigid parts. The right size has to be found by measuring practically and carefully the shoes. The closing system has to be used correctly. The laces have to be tightened well without leaving too long free tops. The shoes have to be cleaned and treated with right, specific products, following the instructions for use. Do not keep footwear near heatings when not used and let them dry in a windy or room temperature. Before wearing and when cleaned, the shoes have to be controlled in order to find out visible defects existing, like closing system function, outsole profile's water, possible damages, etc. To define the right type of footwear to wear in every environment, the possible dangers and the place/ environment have to be included (e.g. construction industry, high temperatures, etc.). The shoes have to be stored correctly, keeping them in the proper packing.

---