

DELTA PLUS GROUP declares that this product complies with the following regulations :

Identification of the PPE object of the declaration :

VE330 - DUOCOLOR VE330

Designation :

DUOCOLOR 330 LATEX CLEANING GLOVE

Colour :

Blue-Yellow

Size :

6/7, 7/8, 8/9, 9/10



Specifications :

Latex with cotton flock lining, double-dipped. Length: 30 cm. Thickness: 0,60 mm.

The PPE is also identifiable by the following means :

- The product picture
- Each PPE wears the name indicated on this declaration of conformity.
- Each PPE wears the bar code indicated in the annex to this declaration of conformity
- Each PPE wears a batch number. For any further information, just give it to us. Our organization, based on this batch number, allows us to ensure the traceability of the PPE.

EU DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration identified above is in conformity with the relevant Union harmonisation legislation:

EU 2016/425 Regulation, with its requirements and with the harmonised standards:



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

1: Resistance to abrasion (from 1 to 4)

0: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

0: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.



A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015,

.. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

2 > 30 mn: Méthanol (A) CAS 67-56-1

6 > 480 nm: Caustic soda 40% (K) CAS 1310-73-2

3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

5 > 240 mn: Nitric acid 65% (M) CAS 7697-37-2

2 > 30 mn: Acetic acid 99% (N) CAS 64-19-7

6 > 480 nm: Hydrogen peroxide 30% (P) 7722-84-1

6 > 480 nm: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

∴ BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

2777 - SATRA TECHNOLOGY EUROPE (BRACETOWN BUSINESS PARK CLONEE DUBLIN 15 DUBLIN IRLANDA) :
Notified body which performed the EU Type- examination (module B) and issued EU type-examination
certificate: 2777 10425 03 E05 01

The PPE is subject to the conformity assessment procedure to type based on quality assurance of the production process (module D) under surveillance of the notified body: 0598 - SGS FIMKO OY (TAKOMOTIE 8 FI-00380 HELSINKI FINLAND)



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration

∴ Contact with any type of food

Apt, 12/07/2022

Signed for and on behalf of DELTA PLUS GROUP :

David GUIHO
Marketing director

DELTA PLUS GROUP
SIA ex Capital de 3 676 700 €
N° 340
04405 APT CEDEX - France
Tél: 04 90 74 20 33 - fax: 04 90 74 32 59
Shen 334 891 866 80000
04 90 74 33 34 31 32

ANNEX:

DECLARATION OF CONFORMITY

Item details

Item details	Bar code	COLOUR	SIZE
VE330BJ06	3295249009533	Blue-Yellow	6/7
VE330BJ07	3295249009540	Blue-Yellow	7/8
VE330BJ08	3295249009557	Blue-Yellow	8/9
VE330BJ09	3295249009564	Blue-Yellow	9/10