

DELTA PLUS GROUP declares that this product complies with the following regulations :

Identification of the PPE object of the declaration :

VE530 - NEOCOLOR VE530 321C-70.30

Designation :

NEOPRENE LATEX GLOVE 30CM

Colour :

Black

Size :

6/7, 7/8, 8/9, 9/10, 10/11



Specifications :

Latex/Neoprene mix with cotton flocklining. Length: 30 cm. Thickness: 0,70 mm.

The PPE is also identifiable by the following means :

- The product picture
- Each PPE wears the name indicated on this declaration of conformity.
- Each PPE wears the bar code indicated in the annex to this declaration of conformity
- Each PPE wears a batch number. For any further information, just give it to us. Our organization, based on this batch number, allows us to ensure the traceability of the PPE.

EU DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration identified above is in conformity with the relevant Union harmonisation legislation:

EU 2016/425 Regulation, with its requirements and with the harmonised standards:



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

2: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.



A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015,
..: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.
2 > 30 mn: n-Heptane (J) CAS 142-85-5
6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9
3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5: 2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks: VIRUS.

..: BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.
..: VIRUSES : Determination of resistance to penetration by bloodborne pathogens according to ISO 16604.

2777 - SATRA TECHNOLOGY EUROPE (BRACETOWN BUSINESS PARK CLONEE DUBLIN 15 DUBLIN EIRE) :
Notified body which performed the EU Type- examination (module B) and issued EU type-examination certificate: 2777 10898 03 E02 01

The PPE is subject to the conformity assessment procedure to type based on quality assurance of the production process (module D) under surveillance of the notified body: 2777 - SATRA TECHNOLOGY EUROPE (BRACETOWN BUSINESS PARK CLONEE DUBLIN 15 DUBLIN EIRE)



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration

..: Contact with wet or watery food
..: Contact with acidic foods

Apt, 12/07/2022

Signed for and on behalf of DELTA PLUS GROUP :
David GUIHO
Marketing director



ANNEX:

DECLARATION OF CONFORMITY

Item details

Item details	Bar code	COLOUR	SIZE
VE530BM06	3295249009656	Black	6/7
VE530BM07	3295249009663	Black	7/8
VE530BM08	3295249009670	Black	8/9
VE530BM09	3295249009687	Black	9/10
VE530BM10	3295249009694	Black	10/11