

DT125



DISPOSABLE OVERALLS WITH HOOD - 5 TYPE - 6 TYPE

Model DT125



Product specifications

Non-woven overall with three-sided elasticated hood. 5/6 type. Made in 2 materials: laminated microporous and SMS. Fastening with zip under flap. Elasticated round head, waist, cuffs and ankles. Single-use. Individual pack.

Front: Microporous laminate 60 g/m².

Back: SMS 52 g/m².

COLOUR

White-orange

SIZE

M, L, XL, XXL, 3XL

Product Features and Benefits



3-part hood

Supports head movement for increased comfort



Thumb loop

Good support



Crotch reinforcement

Increased resistance to tearing



SMS and Microporous Laminate Association

Optimum comfort
Cooler due to the ventilated back

Microporous laminate

Less risk of lint

Antistatic

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 13688:2013 General requirements for protective clothing.



EN ISO 13982-1:2004+A1:2010 Protective clothing for use against solid particulates - Type 5 clothing

TYPE 5: Protection against dust (asbestos) - Type 5



EN13034:2005+A1:2009 Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 equipment)

TYPE 6: Limited protection against liquid chemicals Type 6



EN1073-2:2002 Protective clothing against radioactive contamination. Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination.



CLASS 1: Radioactivité - Facteur de protection 5 - Classe 1



EN1149-5:2018 Electrostatic properties - Part 5: Material performance and design requirements

<2,5: Surface resistivity inferior or equal to 2.5×10^9 Ohms on one surface at least following EN1149-1

Item details

Item details	Bar code	COLOUR	SIZE		
DT125TM	3295249202965	White-orange	M	50	-
DT125GT	3295249202958	White-orange	L	50	-
DT125XG	3295249202972	White-orange	XL	50	-
DT125XX	3295249202989	White-orange	XXL	50	-
DT1253X	3295249202996	White-orange	3XL	50	-