

TIG15K



WELDER'S LEATHER GLOVE / 15 CM GAUNTLET.

Model TIG15K



Product specifications

Goatskin full grain leather. Cowhide split leather cuff. Kevlar® Technology sewn. American assembly. 15 cm cuff. Length: 35 cm.

Goatskin full grain leather.
Split cowhide leather.
Kevlar® sewn.
Thickness of between 0.8 and 1.0 mm.

COLOUR

Grey

SIZE

08, 09, 10

Product Features and Benefits



Welding and heat-resistant gloves

Resistance to flame, heat and splashes of molten metal

Goat leather

Flexibility and dexterity
Good mechanical resistance

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

4: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

2: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

4: Resistance to flammability (from 1 to 4)

1: Contact heat resistance (from 1 to 4)

X: Convective heat resistance (1 to 4)

X: Radiant heat resistance (from 1 to 4)

4: Small splashes of molten metal (from 1 to 4)



X: Large quantities of molten metal (from 1 to 4)



EN12477:2001/A1:2005 Protective gloves for welders

TYPE B: Welding - High dexterity required Type B

Item details

Item details	Bar code	COLOUR	SIZE		
TIG15K08	3295249033965	Grey	08	36	6
TIG15K09	3295249033972	Grey	09	36	6
TIG15K10	3295249033989	Grey	10	36	6