


VE 4 4 0



NATURAL LATEX GLOVE ON COTTON FLOCK LINING

Model VE440



#### Product specifications

Latex with cotton flock lining. Length: 32 cm. Thickness: 0,55 mm.

Support: 100% natural latex.

Flocking: 100% cotton.

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (A: methanol = 2, B: Acetone = 2, K: Sodium hydroxyde 40% (NaOH ) = 4, hydrochloric acid (10%) = 6).

#### COLOUR

Blue

#### SIZE

6/7, 7/8, 8/9, 9/10

#### Product Use - Risks



Biological



Chemical



Particules

CHEM D-FINDER



## Product Features and Benefits



Rough structure

Improved object grip

Flocked inside

Absorption of perspiration for comfort

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



1: Resistance to abrasion (from 1 to 4)

0: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

0: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016+A1:2018 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.



A 2 > 30 mn: Méthanol (A) CAS 67-56-1

K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

L 3 > 60 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9

M 5 > 240 mn: Nitric acid 65% (M) CAS 7697-37-2

N 2 > 30 mn: Acetic acid 99% (N) CAS 64-19-7

P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.



BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS



GLOB MIGR Food contact - Overall Migration

:: Contact with wet or watery food

:: Contact with acidic foods

:: Contatto con derrate alcoliche

Item details

Item details	Bar code	COLOUR	SIZE		
VE440BL06	3295249046828	Blue	6/7	144	12
VE440BL07	3295249046835	Blue	7/8	144	12
VE440BL08	3295249046842	Blue	8/9	144	12
VE440BL09	3295249046859	Blue	9/10	144	12