


VENIPRO VE450



HEAVY LATEX GLOVE - 30 CM

Model VE450



Product specifications

Heavy weight latex with cotton flock lining. Length: 30 cm. Thickness: 1 mm.

Support: 100% natural latex.

Flocking: 100% cotton.

COLOUR

Orange

SIZE

8/9, 9/10, 10/11

Product Use - Risks



Biological



Wearing



Chemical



Particules

CHEM D-FINDER



Product Features and Benefits



Thickness : 1.00 mm

Suitable for heavy duty tasks



Also available with header card
DPVE450

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, : Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

A 6 > 480 mn: Méthanol (A) CAS 67-56-1

K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

L 5 > 240 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

M 6 > 480 mn: Nitric acid 65% (M) CAS 7697-37-2

N 4 > 120 mn: Acetic acid 99% (N) CAS 64-19-7

O 3 > 60 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6

P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0





EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks.

BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



Item details

Item details	Bar code	COLOUR	SIZE		
VE450OR08	3295249011932	Orange	8/9	120	12
VE450OR09	3295249011949	Orange	9/10	120	12
VE450OR10	3295249011956	Orange	10/11	120	12