

PETRO ESD VE781



ANTISTATIC PVC COATED COTTON LINED GLOVE OIL TYPE

Model VE781



Product specifications

Chemical PVC. PVC on cotton knitted lining gauge 13 with metal fiber. Rough-textured hand. Length: 30 cm. Thickness: 1.30 mm.

Support: cotton and metal fiber.
Coating: PVC.

COLOUR

Black

SIZE

08, 09, 10, 11

Product Features and Benefits

Metallic fibre

High electrostatic dissipation to reduce the risk of explosion



Textured structure

Good grip of handled objects

PVC

Good resistance to abrasion
Material very resistant to oils, chemicals and petroleum derivatives



0%
SILICONE
LATEX

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE B: Type B - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 3 chemicals at level 2 according to EN16523-1: 2015 (from 1 to 6).

..: Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

J 2 > 30 mn: n-Heptane (J) CAS 142-85-5

K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

L 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro-organisms risks.

BACTERIA + FUNGI ..: BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.





EN16350:2014 Protective gloves - Electrostatic properties.

1,2 x10⁷: Vertical resistance in ohms (Ω) according to EN1149-2:1997



Item details

Item details	Bar code	COLOUR	SIZE		
VE781NO08	3295249233204	Black	08	120	12
VE781NO09	3295249233211	Black	09	120	12
VE781NO10	3295249233228	Black	10	120	12
VE781NO11	3295249233235	Black	11	120	12