

VENICUTB05



ANTISTATIC DELTANOCUT®/CARBON KNITTED GLOVE - PU COATED PALM - GAUGE 18

Model VECUTB05



Product specifications

DELTAAnocut® high performance fibre and carbon fibre. Polyurethane coating on palm and fingertips. Gauge 18.

Support: DELTAAnocut® high performance fibre and carbon fibre.
Coating: Polyurethane.

COLOUR

Black

SIZE

06, 07, 08, 09, 10, 11

Product Features and Benefits



Gauge 18

Very good dexterity and work finesse



Carbon fibre

High electrostatic dissipation to reduce the risk of explosion



Cut level B

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)
X: Resistance to cutting (from 1 to 5)
3: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)
B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat & Fire risks (X = Unrealized test)



X: Flame spread resistance.
1: Contact heat resistance (from 1 to 4)
X: Convective heat resistance (1 to 4)
X: Radiant heat resistance (from 1 to 4)
X: Small splashes of molten metal (from 1 to 4)
X: Large quantities of molten metal (from 1 to 4)





EN16350:2014 Protective gloves - Electrostatic properties.
2.16 X 10E5: Vertical resistance in ohms (Ω) according to EN1149-2:1997

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection
A2: Resistance to cutting by sharp objects (from A1 to A9)

Item details

Item details	Bar code	COLOUR	SIZE		
VECUTB05GR06	3295249264222	Black	06	60	12
VECUTB05GR07	3295249264376	Black	07	60	12
VECUTB05GR08	3295249264383	Black	08	60	12
VECUTB05GR09	3295249264390	Black	09	60	12
VECUTB05GR10	3295249264406	Black	10	60	12
VECUTB05GR11	3295249264413	Black	11	60	12