

## VENICUTD01



KNITTED HEATNOCUT GLOVE - NITRILE FOAM COATED PALM - GAUGE 13

Model VECUTD01



### Product specifications

HEATnocut high performance fibre. Foam nitrile coating on palm and fingertips. Gauge 13.

Support: HEATnocut high performance fibres.

Coating: nitrile foam.

#### COLOUR

Yellow-Grey-Black

#### SIZE

07, 08, 09, 10, 11

Product Features and Benefits



Nitrile foam coating

Excellent resistance to abrasion  
Rough finish for excellent grip on handled objects



HEATnocut high performance fibre

Contact heat (100°C for 15 seconds), and cut resistant  
Very good level of abrasion resistance



Cut level D

## Certifications and Standards



### REGULATION (EU) 2016/425

#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

#### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



#### EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Contact heat resistance (from 1 to 4)

X: Convective heat resistance (1 to 4)

X: Radiant heat resistance (from 1 to 4)

X: Small splashes of molten metal (from 1 to 4)

X: Large quantities of molten metal (from 1 to 4)



### USA STANDARDS



#### ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

## Item details

Item details	Bar code	COLOUR	SIZE		
VECUTD01GJ07	3295249235673	Yellow-Grey-Black	07	60	12
VECUTD01GJ08	3295249235680	Yellow-Grey-Black	08	60	12
VECUTD01GJ09	3295249235697	Yellow-Grey-Black	09	60	12
VECUTD01GJ10	3295249235703	Yellow-Grey-Black	10	60	12
VECUTD01GJ11	3295249235710	Yellow-Grey-Black	11	60	12