

VENICUTD06



ANTISTATIC DELTANOCUT® KNITTED GLOVE - NITRILE MICRO-FOAM COATED PALM - GAUGE 18

Model VECUTD06



Product specifications

DELTAAnocut® high performance fibre. Nitrile micro-foam coating on palm and fingertips. Gauge 18.

Support: DELTAAnocut® high performance fibre.

Coating: nitrile micro foam.

COLOUR

Black

SIZE

06, 07, 08, 09, 10, 11

Product Features and Benefits



Solvent-free coating

Suitable for sensitive people
Respectful of the environment
Ideal for the automotive industry
No traces on the objects handled



Nitrile micro-foam coating

Good resistance to abrasion
Extra-thin finish for greater dexterity



Gauge 18

Very good dexterity and work finesse

Tested before and after washing: unchanged performance

Increased lifespan for better profitability

Can be used in an ESD environment
(Electrostatic discharge hazard)



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)
X: Resistance to cutting (from 1 to 5)
3: Resistance to tear (from 1 to 4)
1: Resistance to puncture (1 to 4)
D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN407:2020 Protective gloves against Heat & Fire risks (X = Unrealized test)



X: Flame spread resistance.
1: Contact heat resistance (from 1 to 4)
X: Convective heat resistance (1 to 4)
X: Radiant heat resistance (from 1 to 4)
X: Small splashes of molten metal (from 1 to 4)
X: Large quantities of molten metal (from 1 to 4)



EN16350:2014 Protective gloves - Electrostatic properties.

8,00 x10⁵: Vertical resistance in ohms (Ω) according to EN1149-2:1997



USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

Item details

Item details	Bar code	COLOUR	SIZE		
VECUTD06NO06	3295249264253	Black	06	60	12
VECUTD06NO07	3295249264321	Black	07	60	12
VECUTD06NO08	3295249264338	Black	08	60	12
VECUTD06NO09	3295249264345	Black	09	60	12
VECUTD06NO10	3295249264352	Black	10	60	12
VECUTD06NO11	3295249264369	Black	11	60	12