

### CHEMSAFE VV835



GLOVE IN NITRILE ON POLYAMIDE LINING - FOAM NITRILE COATING PALM -  $35\,\mathrm{CM}$  Model VV835





### Product specifications

Double nitrile coating on polyamide lining. Third rough foam nitrile coating on palm and fingertips. Length: 35 cm. Thickness: 1.15 mm on cuff - 1.30 mm on palm.

Support: 100% polyamide.

Coating: Nitrile.

COLOUR

Green

SIZE

08, 09, 10, 11



#### Product Use - Risks









Chemica



Particules



Product Features and Benefits						
> 1.15 MM						
<b>0</b> % LATEX						
7	Rough structure palm	Very good grip				
	Triple nitrile coating	Good resistance to abrasion				
	100% polyamide support	Very good comfort				



### Certifications and Standards

## CE

#### **REGULATION (EU) 2016/425**

### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 4: Resistance to abrasion (from 1 to 4)
- 1: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 1: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

# EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.





- A 2 > 30 mn: Méthanol (A) CAS 67-56-1
- | 3 > 60 mn: n-Heptane (I) CAS 142-85-5
- K 5 > 240 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 2 > 30 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9



EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

Item details							
Item details	Bar code	COLOUR	SIZE	•	<u> </u>		
VV835VE08	3295249202866	Green	08	60	6		
VV835VE09	3295249202873	Green	09	60	6		
VV835VE10	3295249202880	Green	10	60	6		
VV835VE11	3295249202897	Green	11	60	6		