

EOS FLEX CUT B VV921



SOFTNOCUT KNITTED GLOVE - HAND COATED WITH MOULDED TPE - GAUGE 13

Model VV921



Product specifications

SOFTnocut high performance fibre. Hand coated with moulded TPE. Gauge 13.

Support: SOFTnocut high performance fibres.

Coating: TPE.

**COLOUR**

Black

**SIZE**

08, 09, 10

Product Features and Benefits



Injection moulding technique combined with a cut protection support

Integral protection of the hand against cuts, shocks, blows and pinches

Elastic TPE coating

Comfort, flexibility and dexterity throughout the day



## Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)  
 X: Resistance to cutting (from 1 to 5)  
 4: Resistance to tear (from 1 to 4)  
 2: Resistance to puncture (1 to 4)  
 B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)  
 P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)

EN407:2020 Protective gloves against Heat & Fire risks (X = Unrealized test)



X: Flame spread resistance.  
 2: Contact heat resistance (from 1 to 4)  
 X: Convective heat resistance (1 to 4)  
 X: Radiant heat resistance (from 1 to 4)  
 X: Small splashes of molten metal (from 1 to 4)  
 X: Large quantities of molten metal (from 1 to 4)



### USA STANDARDS



ANSI-ISEA 138:2019 Performance and Classification for Impact-Resistant Gloves.

1: Impact resistance (from 1 to 3)

## Item details

Item details	Bar code	COLOUR	SIZE		
VV921NO08	3295249268596	Black	08	60	6
VV921NO09	3295249268619	Black	09	60	6
VV921NO10	3295249268626	Black	10	60	6
VV921NO11	3295249268633	Black	10	60	6