

SANTA FE S1P

71T83C

CE UNI EN ISO 20345:2012 S1P SRC ESD CLASS 3

Low holed shoe, suede back leather thickness 1,8-2,0 mm.

Highly perspiring and abrasion resistant fabric lining.

Soft, lined and padded tongue.

COMPLETELY METAL FREE SHOE

TOECAP 200J polymeric **composite non-thermic** according to EN 12568

MIDSOLE flexible antiperforation composite fabric according to EN 12568

SOLE ERGO SAFE bidensity polyurethane antistatic, resistant to hydrolysis ISO 5423:92, to hydrocarbons and to abrasion, anti-shock and anti-slipping **SRC**

INSOLE 5000, three-materials extracomfort: perspiring, removable, anatomic, absorbing, ESD and anti-bacterial

The shoe satisfies the requirement according to the norm EN ISO 61340-4-3:2001 for the electrical resistance **ESD class 3 (electric dissipative footwear)**

Size 36-47 Shoe weight Sz 42 gr. 490



CERTIFICATIONS



TECHNOLOGIES AND MATERIALS



SECTORS



SOLE



Ergo Safe is the safety shoe useful for people who have problems with back and joint pains. It is in fact the only ergonomic shoe in the market, studied to give a solution to these needs and in the same time to assure a complete protection. This is possible thanks to the round sole, that allows a uniform discharge of body weight all along the sole of the foot, giving a good feeling to the back, the knees and to the heels. Ergo is also studied to improve walking, by giving a better blood circulation and a saving of energy at the end of the day.

PLUS

ANTISLIPPING TEST RESULTS

ANTISLIPPING TEST RESULTS			
SRC			
antislipping test			
SRA	HEEL=0,28	0,31	
PLATE=	PLATE=0,28	0,31	
SMB	HEEL=0,23	0,22	
PLATE=	PLATE=0,23	0,22	