

SAFETY FOOTWEAR

17.06.2021 SBU-F-PGM-PM

Product Datasheet uvex 1 G2 6828 7 - 0 S1 SRC



UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

General features	ultra-lightweight perforated S1 safety sandal
	 made from synthetic materials, making it suitable for
	people allergic to chrome
	 all sole materials are free of silicone, plasticisers and
	other paint wetting impairment substances
	 two hook-and-loop straps for individual fit
Protection features	 new, innovative uvex i-PUREnrj sole technology with the highest level of shock-absorbing properties at the forefoot and at the heel, excellent rebound over the entire midsole and optimal stability thanks to the foam heel basket meets the ESD specification with volume resistance under 35 megaohms new wider 100% metal-free uvex xenova® safety toe cap for more toe room and optimum fit — compact design, anatomical shape, good lateral stability and no
	thermal conductivity
Comfort features	 outstanding wearer comfort thanks to a newly
	developed last and climate-optimised, breathable materials
	 virtually seam-free, perforated upper in high-tech
	microvelour to eliminate pressure points
	removable antistatic comfortable insole with a
	moisture transport system, additional shock
	absorption around the heel and forefoot and excellent

Rev. St. 1 Datum: 02.06.2016 Seite 1 von 2

	 support for the arch soft padding on the tongue and collar sizes 35 to 40 have been produced using a women's last
Outsole	 PUR outsole, non-marking ergonomically designed outsole incorporates the latest biomechanical research, consisting of two layers of uvex i-PUREnrj polyurethane with excellent slip resistance. The tread is particularly suited to industrial floor surfaces excellent cushioning and extremely flexible especially lightweight thanks to unique PUR sole unit excellent slip resistance, self-cleaning tread resistant to oil and petrol
Certificates	Certified with uvex medicare for individual, orthopedic inlay soles and individual adjustments of the sole unit such as overall increase, inside and outside increase and other solutions.
Areas of application	light applications
Technical data	uvex 1 G2 sandal S1 SRC Artno. 6828 7 8 9 0 Width 10 11 12 14 Standard EN ISO 20345:2011 S1 SRC Size 35 – 52
Accessories	 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties arch support

Rev. St. 1 Datum: 02.06.2016 Seite 2 von 2