

SAFETY FOOTWEAR

17.06.2021 SBU-F-PGM-PM

Product Datasheet uvex 1 G2 6830 7 - 0 S2 SRC



UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

	
General features	ultra-lightweight S2 safety shoe
	 made from synthetic materials, making it suitable for
	people allergic to chrome
	 all sole materials are free of silicone, plasticisers and
	other paint wetting impairment substances
	 elastic laces for quick, individual adjustment, normal
	laces also provided
Protection features	new, innovative uvex i-PUREnrj sole technology with
	the highest level of shock-absorbing properties at the
	forefoot and at the heel, excellent rebound over the
	entire midsole and optimal stability thanks to the foam
	heel basket
	 meets the ESD specification with volume resistance
	under 35 megaohms
	 new wider 100% metal-free uvex xenova® safety toe
	cap for more toe room and optimum fit - compact
	design, anatomical shape, good lateral stability and no
	thermal conductivity
Comfort features	outstanding wearer comfort thanks to a newly
	developed last and climate-optimised, breathable
	materials
	 virtually seam-free, hydrophobic upper in high-tech
	microvelour to eliminate pressure points
	removable antistatic comfortable insole with a
	moisture transport system, additional shock

Rev. St. 1 Datum: 02.06.2016 Seite 1 von 2

	absorption around the heel and forefoot and excellent
	support for the arch
	soft padding on the dust tongue and collar
	 sizes 35 to 40 have been produced using a women's
	last
Outsole	PUR outsole, non-marking
Outsole	ergonomically designed outsole incorporates the
	latest biomechanical research, consisting of two
	layers of uvex i-PUREnrj polyurethane with excellent
	slip resistance. The tread is particularly suited to
	industrial floor surfaces
	excellent cushioning and extremely flexible
	especially lightweight thanks to unique PUR sole unit
	excellent slip resistance, self-cleaning tread
	resistant to oil and petrol
Certificates	Certified with uvex medicare for individual, orthopedic
Continuated	inlay soles and individual adjustments of the sole unit
	such as overall increase, inside and outside increase
	and other solutions.
Areas of application	light applications
Technical data	uvex 1 G2 shoe S2 SRC
	Artno. 6830 7 8 9 0
	Width 10 11 12 14
	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC
	Width 10 11 12 14
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900)
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying materials
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying materials • shock absorption zones support natural movement of
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying materials • shock absorption zones support natural movement of the foot
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying materials • shock absorption zones support natural movement of
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) • improved full-surface shock absorption • ultra-breathable, moisture-absorbing and quick-drying materials • shock absorption zones support natural movement of the foot • non-irritating, comfortable surface structure
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties arch support Laces
Accessories	Width 10 11 12 14 Standard EN ISO 20345:2011 S2 SRC Size 35 – 52 Removable uvex 1 G2 comfortable climatic insole (article no.: 94907 - 94900) improved full-surface shock absorption ultra-breathable, moisture-absorbing and quick-drying materials shock absorption zones support natural movement of the foot non-irritating, comfortable surface structure anti-static properties arch support

Rev. St. 1 Datum: 02.06.2016 Seite 2 von 2