

FOOD

PURDIONI

COMFORT & SAFETY SOLUTIONS

PROTECTION AND COMFORT YOU DESERVE

Peter W. Germany


The tests with Dunlop Purofort FoodPro boots have all been very positive in terms of wearer comfort and protection. That's why from now on our employees will only wear Dunlop boots.



OUR RANGE OF BOOTS TO SERVE YOU

PUROFORT [®]	BETTER ACIFORT	GOOD PVC
*DUNLOSP runnit		
DUNLOP® PUROFORT® RANGE	DUNLOP® ACIFORT® RANGE	DUNLOP® PVC RANGE
COMFORT Meeting end-user needs	***	***
HYGIENE Meeting health & safety needs ★ ★ ★	***	**







Lightweight and Thermal Insulation

The Original

Purofort[®] guarantees you long-lasting comfort

Purofort[®] is the unique Dunlop[®] material with millions of evenly distributed air pockets making it lightweight and thermally insulating plus a cross-linked structure that provides flexibility and strength. Purofort[®] guarantees you long-lasting comfort.


WWW.DUNLOPBOOTS.COM





PUROFORT® BENEFITS


LIGHTWEIGHT

Purofort[®] boots are up to 35% lighter than PVC, rubber or competitive PU boots. No more tired feet!









EXCELLENT COLD INSULATION

Purofort[®] prevents heat loss and provides thermal insulation down to -20°C and even to -50°C. No more cold feet!

FLEXIBLE

Purofort[®] is extremely flexible, giving you maximum comfort.

MAX STRETCH

Purofort[®] provides maximum stretch, assuring your boots a longer life-time.



DISCOVER MORE dunlopboots.com/purofort



DUNLOP® PUROFORT® FOODPRO MULTIGRIP



Outstanding all day comfort for the food professional

- Anatomically shaped footbed with insole for all day foot support
- Lightweight and cold insulation wearing comfort
- Highest SRC+ rated slip resistant outsole for multiple types of flooring and contamination





F

S4

*****J

刃

5

BEST





Uncompromised protection under cold conditions

Uncompron	nised protection under cold conditions	N
ARTICLE	E662143	
DESCRIPTION	Dunlop® Purofort® Thermo+ full safety	4 4 4
STANDARD	EN ISO 20345:2011 S5 CI SRC	
SIZE RANGE	37/38, 39/40, 41-43, 44/45, 46-48	
PROPERTIES	 Insulation down to -50°C/-58°F to keep feet warm 	
	 SRC rated, dirt-repellent outsole for perfect grip 	
	• Slip resistant for protection under cold conditions	

• Protective toecap & midsole



Outstanding all day comfort for the food professional

ARTICLE	CA61631
DESCRIPTION	Dunlop® Purofort® FoodPro MultiGrip safety
STANDARD	EN ISO 20345:2011 S4 CI SRC
SIZE RANGE	35/36, 37-48, 49/50
PROPERTIES	• Anatomically shaped footbed with insole for all day
	foot support
	 Lightweight and cold insulation wearing comfort
	 Highest SRC+ rated slip resistant outsole for
	multiple types of flooring and contamination
	Protective toecap

PUROFORT[®]

PUROFORT[®]



multiple types of flooring and contamination

PUROFORT[®]

Outstanding all day comfort for the food professional	
ARTICLE	CA61131
DESCRIPTION	Dunlop® Purofort® FoodPro MultiGrip safety
STANDARD	EN ISO 20345:2011 S4 CI SRC
SIZE RANGE	35/36, 37-48, 49/50
PROPERTIES	 Anatomically shaped footbed with insole for all day
	foot support
	 Lightweight and cold insulation wearing comfort
	 Highest SRC+ rated slip resistant outsole for
	multiple types of flooring and contamination
	Protective toecap

PUROFORT

S5

5

4

S4

Ň

煭

5

1

M Л





Outstanding all day comfort for the food professional

ARTICLE	CA61831
DESCRIPTION	Dunlop® Purofort® FoodPro MultiGrip safety
STANDARD	EN ISO 20345:2011 S4 CI SRC
SIZE RANGE	35/36, 37-48, 49/50
PROPERTIES	 Anatomically shaped footbed with insole for all day
	foot support
	 Lightweight and cold insulation wearing comfort
	 Highest SRC+ rated slip resistant outsole for
	multiple types of flooring and contamination
	 Protective toecap



S4 趔 Z Ż

PROTECTION AND COMFORT YOU DESERVE



DUNLOP® PUROFORT® FOODPRO HYDROGRIP CLEANING



The most comfortable cleaning boot developed to endure industrial detergents

- Purofort material specifically formulated for outstanding chloride bleach resistance
- Lightweight and excellent fit for ease of movement
- Highest SRC++ rated slip resistant outsole for wet and slippery floors
- ✓ Protective toecap





BEST

PUROFORT[®]



The most comfortable cleaning boot developed to endure industrial detergents

industrial detergents ARTICLE CB71431 DESCRIPTION Dunlop® Purofort® FoodPro HydroGrip Cleaning safet STANDARD EN ISO 20345:2011 S4 CI SRC SIZE RANGE 35/36, 37-48, 49/50 PROPERTIES • Flexible and supple to easily move around • Large contact area for maximum grip in wet areas • Detailed profile with fluid dispersion channels in all directions		omfortable cleaning boot developed to endure	The most co
DESCRIPTION Dunlop® Purofort® FoodPro HydroGrip Cleaning safet STANDARD EN ISO 20345:2011 S4 CI SRC SIZE RANGE 35/36, 37-48, 49/50 PROPERTIES • Flexible and supple to easily move around • Large contact area for maximum grip in wet areas • Detailed profile with fluid dispersion channels in all directions	_	detergents	industrial d
STANDARD EN ISO 20345:2011 S4 CI SRC SIZE RANGE 35/36, 37-48, 49/50 PROPERTIES Flexible and supple to easily move around • Large contact area for maximum grip in wet areas • Detailed profile with fluid dispersion channels in all directions	_	CB71431	ARTICLE
SIZE RANGE 35/36, 37-48, 49/50 PROPERTIES • Flexible and supple to easily move around • Large contact area for maximum grip in wet areas • Detailed profile with fluid dispersion channels in all directions	* * *	Dunlop® Purofort® FoodPro HydroGrip Cleaning safety	DESCRIPTION
PROPERTIES • Flexible and supple to easily move around • Large contact area for maximum grip in wet areas • Detailed profile with fluid dispersion channels in all directions		EN ISO 20345:2011 S4 CI SRC	STANDARD
 Large contact area for maximum grip in wet areas Detailed profile with fluid dispersion channels in all directions 	- (22)	35/36, 37-48, 49/50	SIZE RANGE
Detailed profile with fluid dispersion channels in all directions	-	 Flexible and supple to easily move around 	PROPERTIES
all directions	-	 Large contact area for maximum grip in wet areas 	
		 Detailed profile with fluid dispersion channels in 	
		all directions	
 Protective toecap 	-	Protective toecap	



PUROFORT[®]

S4



The iconic food boot for wet contaminated areas		
ARTICLE	CB61631	
DESCRIPTION	Dunlop® Purofort® FoodPro HydroGrip safety	
STANDARD	EN ISO 20345:2011 S4 CI SRC	
SIZE RANGE	35/36, 37-48, 49/50	
PROPERTIES	 Extra smooth finish for easy cleaning 	
	 SRC rated outsole for excellent grip 	
	 Slip resistant to assure safe working conditions 	
	 Protective toecap 	





DUNLOP® ACIFORT® CLASSIC+



The food processing boot designed for hygiene and slip resistance

- Energy absorbing heel design
- Smooth, easy cleaning hygienic design
- ✓ SRC rated slip resistant outsole

ACIFORT[®] = Acide + Comfort

Acifort[®] is Dunlop's unique invention of PVC, nitrile rubber and polymers. Nitrile rubber ensures a longer lifetime and better resistance to oil, fat, blood and chemicals. Polymers add flexibility to your boot, thereby increasing comfort.

- ✓ Antistatic components
- Nitrile rubber for more comfort
- Polymers guarantee maximum lifetime for PVC boots



DISCOVER MORE



BETTER

ACIFORT[®]



The food processing boot designed for hygiene and slip resistance

ARTICLE	A181331
DESCRIPTION	Dunlop [®] Acifort [®] Classic+ safety
STANDARD	EN ISO 20345:2011 S4 SRC
SIZE RANGE	34/35, 36-49
PROPERTIES	 Energy absorbing heel design
	 Smooth, easy cleaning hygienic design
	 SRC rated slip resistant outsole
	Protective toecap



SIZE RANGE	36-47
PROPERTIES	 Durable shaft for high wear and tear resistance
	 Oil resistant, SRA rated outsole for perfect grip
	 Slip resistant to assure safe working conditions
	 Protective toecap



ACIFORT[®]

S4

Ż

S4

F + + +



The food processing boot designed for hygiene and slip resistance

ARTICLE	B180331
DESCRIPTION	Dunlop [®] Acifort [®] Classic+
STANDARD	EN ISO 20347:2012 04 FO SRC
SIZE RANGE	34/35, 36-49
PROPERTIES	 Energy absorbing heel design
	 Smooth, easy cleaning hygienic design
	 SRC rated slip resistant outsole







ARTICLE	B780331
DESCRIPTION	Dunlop® Acifort® Tricolour
STANDARD	EN ISO 20347:2012 04 FO SRA
SIZE RANGE	36-47
PROPERTIES	 Durable shaft for high wear and tear resistance
	 Oil resistant, SRA rated outsole for perfect grip
	 Slip resistant to assure safe working conditions

PROTECTION AND COMFORT YOU DESERVE

SLIP ASSESSMENT TEST

DUNLOP[®] HELPS YOU TO SELECT THE BEST SAFETY BOOT

Slips & Trips is the second most common cause of serious injury in the workplace. After "manual handling", comes slips & trips accounting for 25 % of serious accidents. Dunlop[®] uses the Slip Assessment Test (developed by the HSE*) to analyse your slip risks, in order to offer you the best solutions.

Visit our website for more information.

WWW.DUNLOPBOOTS.COM





PVC

GOOD

DUNLOP® PROTOMASTOR



Functional food processing work boot

- ✓ Waterproof to give protection in wet conditions
- ✓ Oil resistant, SRA rated outsole for perfect grip
- ✓ Slip resistant to assure safe working conditions





ARTICLE	171BV
DESCRIPTION	Dunlop® Protomastor safety
STANDARD	EN ISO 20345:2011 SB E FO SRA
SIZE RANGE	36-48
PROPERTIES	• Waterproof to give protection in wet conditions
	• Oil resistant, SRA rated outsole for perfect grip
	 Slip resistant to assure safe working conditions
	Protective toecap







		000
		-

ARTICLE	380BV
DESCRIPTION	Dunlop® Pricemastor
STANDARD	CE
SIZE RANGE	35-48
PROPERTIES	 Waterproof to give protection in wet conditions
	 Oil resistant outsole for use in less slippery
	areas





ARTICLE B370411 DESCRIPTION Dunlop® Bicolour wellie shoe STANDARD EN ISO 20347:2012 OB FO CI SRA SIZE RANGE 35/36, 37-46 PROPERTIES • Waterproof to give protection in wet con • Oil resistant, SRA rated outsole for perf	
STANDARD EN ISO 20347:2012 OB FO CI SRA SIZE RANGE 35/36, 37-46 PROPERTIES • Waterproof to give protection in wet con	
SIZE RANGE 35/36, 37-46 PROPERTIES • Waterproof to give protection in wet con	
PROPERTIES • Waterproof to give protection in wet con	
 Oil resistant, SRA rated outsole for perf 	ditions
	ect grip
 Slip resistant to assure safe working co 	nditions



DISCOVER MORE

dunlopboots.com

ADDITIONAL COMFORT



ARTICLE	Z930005
DESCRIPTION	Dunlop® FoodPro Insole
SIZE RANGE	36 - 48, 49/50
FEATURES	 Absorbs three times its own weight of moisture
	 Energy absorption at the heel to reduce fatigue



OUR DUNLOP MISSION

You're the world's makers and doers. The power behind the economy. The rebuilders, the growers, the movers and the diggers.

We depend on you. For food and shelter. Roads and bridges. Warmth and energy. Safety and security. Our world depends on you. Day in and day out, you work with care and dedication. And that's why, day in and day out, we work for you. By innovating to make the best product. For you.

That's why we reinvented rubber and made a boot out of Purofort[®]. To give you the safety and comfort that you deserve.


We salute you.

DUNLO

DUNLOP® PROTECTIVE FOOTWEAR YOUR TRUSTED GLOBAL PARTNER



Icon Explanation



REACH compliant

All Dunlop® boots are produced according to the latest REACH regulation and do not contain any restricted substances

CONTACT

Dunlop® Protective Footwear Boeierstraat 12 NL-8102 HS Raalte The Netherlands

T +31 (0)572 341 550 F +31 (0)572 362 206 E info@dunlopboots.com



Dunlop® Protective Footwear works closely with:









WWW.DUNLOPBOOTS.COM

Kontaktujte nás

Vajnorská ul.

Vozovňa 🐉 Jurajov dvor

CENTRÁLA Predajňa / Sklad

Vajnorská 131/A, Bratislava 831 04



U




tel.: 02/44458685 tel/fax: 02/44458684 e-mail: lubica@lubica.eu www.lubica.sk web:

smer ZLATE PIESKY

Otváracie hodiny

Pondelok	8:00 - 17:00
Utorok	8:00 - 17:00
Streda	8:00 - 17:00
Štvrtok	8:00 - 17:00
Piatok	8:00 - 15:00
Sobota	Zatvorené
Nedeľa	Zatvorené



Rozhauska

Bojnická

cover © ĽUBICA, s.r.o.

lubica

smer CENTRUM