



# INDUSTRY

---

COMFORT & SAFETY  
SOLUTIONS

---

**Pat Lohan**  
Civil Engineering, United Kingdom

**Best wellington boots worn so far. Very impressed.**

# ENGINEERED FOR LONG-LASTING COMFORT

**BEST**

**PUROFORT®**



**DUNLOP® PUROFORT®  
RANGE**

**BETTER**

**ACIFORT®**



**DUNLOP® ACIFORT®  
RANGE**

**GOOD**

**PVC**



**DUNLOP® PVC  
RANGE**

**COMFORT**

Meeting end-user needs



**DESIGN**

Meet requirements with regard to design



**PROTECTION**

Meeting the standards




DUNLOP®

**PURFORT®**

THE ORIGINAL

DUNLOP®  
PURFORT®  
BH 60-203452011 S1 C1 SRC




## Purofort® guarantees you long-lasting comfort

Purofort® is the unique Dunlop® material with millions of evenly distributed air pockets making it lightweight and thermally insulating plus a cross-linked structure that provides flexibility and strength. Purofort® guarantees you long-lasting comfort.

# PUROFORT® BENEFITS


## LIGHTWEIGHT

Purofort® boots are up to 35% lighter than PVC, rubber or competitive PU boots. No more tired feet!




## EXCELLENT COLD INSULATION

Purofort® prevents heat loss and provides thermal insulation down to -20°C and even to -50°C. No more cold feet!




## FLEXIBLE

Purofort® is extremely flexible, giving you maximum comfort.



## MAX STRETCH

Purofort® provides maximum stretch, assuring your boots a longer life-time.



**DISCOVER MORE**

[dunlopboots.com/purofort](https://dunlopboots.com/purofort)

---

**DUNLOP®**  
**PUROFORT®+**

**The comfortable and durable boot for harsh working conditions**

- ✓ Lightweight and flexible boot with premium insole for all day wearing comfort
- ✓ Long lasting wear and tear performing Purofort® material technology
- ✓ Outsole designed for stability and grip in all terrains
- ✓ Protective toecap & midsole



**DISCOVER MORE**  
[dunlopboots.com](https://www.dunlopboots.com)

**BEST**

**PUROFORT®**



S5



**Extreme protection in severely cold working conditions**

ARTICLE	C662343
DESCRIPTION	Dunlop® Purofort® <b>Thermo+</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37/38, 39/40, 41-43, 44/45, 46-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Keep's feet dry and warm even in -50°C environments</li> <li>• Sturdy PUROFORT® coverage for all around foot protection</li> <li>• High cleated outsole for grip and traction in mud and snow</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT**



S5



**Designed for all terrain performance and extreme grip**

ARTICLE	CC22A33
DESCRIPTION	Dunlop® Purofort®+ <b>Expander</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI HRO CR SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Lightweight and flexible boot with premium insole for all day wearing comfort</li> <li>• Long lasting wear and tear performing Purofort® material technology</li> <li>• Vibram XS Work outsole with superior slip resistance on oil</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT®**



S5



**The comfortable and durable boot for harsh working conditions**

ARTICLE	C762041
DESCRIPTION	Dunlop® <b>Purofort®+</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	36-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Lightweight and flexible boot with premium insole for all day wearing comfort</li> <li>• Long lasting wear and tear performing Purofort® material technology</li> <li>• Outsole designed for stability and grip in all terrains</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT®**



S5



**The comfortable and durable boot for harsh working conditions**

ARTICLE	C762241
DESCRIPTION	Dunlop® <b>Purofort®+</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	36-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Lightweight and flexible boot with premium insole for all day wearing comfort</li> <li>• Long lasting wear and tear performing Purofort® material technology</li> <li>• Outsole designed for stability and grip in all terrains</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT®**



S5



**The comfortable and durable all-purpose worker boot**

ARTICLE	C462041
DESCRIPTION	Dunlop® Purofort® <b>Professional</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Thermal insulation in warm and cold environments</li> <li>• Strong wear and tear resistant Purofort® material technology</li> <li>• Self cleaning abrasion resistant outsole</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT®**



S5



**The comfortable and durable all-purpose worker boot**

ARTICLE	C462241
DESCRIPTION	Dunlop® Purofort® <b>Professional</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Keep's feet dry and warm in cold environments</li> <li>• Strong wear and tear resistant Purofort® material technology</li> <li>• Self cleaning abrasion resistant outsole</li> <li>• Protective toecap &amp; midsole</li> </ul>

---

**DUNLOP®**  
**PUROFORT®+ RELIANCE**



**Challenging the definition  
of a rigger boot**

- ✓ Sturdy design with easy pull on and instant fit
- ✓ Superior material for longlasting flexibility and guaranteed waterproofness
- ✓ Vibram XS Work industrial outsole developed to outperform
- ✓ Protective toecap & midsole

**VIBRAM® XS WORK OUTSOLE**

The Expander and the Reliance boot have a Vibram® XS Work outsole, that:

- ✓ Has a special toe area to prevent stumbling
- ✓ Has large channels for fluid dispersion and self-cleaning
- ✓ Offers torsion control ladder grip
- ✓ Is non-marking to prevent stains on flooring



**DISCOVER MORE**  
[dunlopboots.com](http://dunlopboots.com)

**BEST**

**RIGGER RANGE**

**PUROFORT™**



**Challenging the definition of a rigger boot**

ARTICLE	CC22A33.CH
DESCRIPTION	Dunlop® Purofort®+ <b>Reliance</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI HRO CR SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Sturdy design with easy pull on and instant fit</li> <li>• Superior material for longlasting flexibility and guaranteed waterproofness</li> <li>• Vibram XS Work industrial outsole developed to outperform</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT™**



**Fully waterproof rigger boot designed for all day comfort**

ARTICLE	C762043.CH
DESCRIPTION	Dunlop® Purofort®+ <b>Rugged</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	39-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Anatomically shaped footbed with premium insole for all day foot support</li> <li>• Superior material flexibility for easy pull-on &amp; instant fit</li> <li>• Outsole designed for all terrain stability and grip</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT™**



**Fully waterproof comfortable rigger boot**

ARTICLE	C462743
DESCRIPTION	Dunlop® Purofort® <b>Rig Air</b> full safety
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Lightweight for all day wearing comfort</li> <li>• Superior material flexibility for easy pull-on &amp; instant fit</li> <li>• Self cleaning abrasion resistant outsole</li> <li>• Protective toecap &amp; midsole</li> </ul>

**PUROFORT™**



**Fully waterproof comfortable rigger boot**

ARTICLE	C462743.FL
DESCRIPTION	Dunlop® Purofort® <b>Rig Air</b> full safety <b>Fur Lined</b>
STANDARD	EN ISO 20345:2011 S5 CI SRC
SIZE RANGE	37-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Lightweight for all day wearing comfort</li> <li>• Superior material flexibility for easy pull-on &amp; instant fit</li> <li>• Self cleaning abrasion resistant outsole</li> <li>• Protective toecap &amp; midsole</li> </ul>

**DUNLOP®****ACIFORT® HIGH VOLTAGE SAFETY****The trusted solution for high impact electrical and mechanical environments**

- ✓ Durable shaft for high wear and tear resistance
- ✓ Oil resistant, SRA rated outsole for perfect grip
- ✓ Special compound to protect against high voltages
- ✓ Protective toecap

**ACIFORT® = Acide + Comfort**

Acifort is Dunlop's unique invention of PVC, nitrile rubber and polymers. Nitrile rubber ensures a longer lifetime and better resistance to oil, fat, blood and chemicals. Polymers add flexibility to your boot, thereby increasing comfort.

- ✓ **Antistatic** components
- ✓ **Nitrile rubber** for more comfort
- ✓ **Polymers** guarantee maximum lifetime for PVC boots

**DISCOVER MORE**  
dunlopboots.com

BETTER

**ACIFORT®**



ARTICLE	A571411
DESCRIPTION	Dunlop® Acifort® <b>High Voltage</b> safety
STANDARD	EN ISO 20345:2011 SB FO SRA / EN 50321 cl. 0
SIZE RANGE	39/40, 41-43, 44/45, 46-47
PROPERTIES	<ul style="list-style-type: none"> <li>• Durable shaft for high wear and tear resistance</li> <li>• Oil resistant, SRA rated outsole for perfect grip</li> <li>• Special compound to protect against high voltages</li> <li>• Protective toecap</li> </ul>

**ACIFORT®**



ARTICLE	A252931
DESCRIPTION	Dunlop® Acifort® <b>Ribbed</b> full safety
STANDARD	EN ISO 20345:2011 SB P A FO SRA
SIZE RANGE	40-47
PROPERTIES	<ul style="list-style-type: none"> <li>• Unique rib design for additional protection</li> <li>• Oil resistant, SRA rated outsole for perfect grip</li> <li>• Ankle support and reinforced heel for best safety</li> <li>• Protective toecap &amp; midsole</li> </ul>

**ACIFORT®**



ARTICLE	A442031
DESCRIPTION	Dunlop® Acifort® <b>Heavy Duty</b> full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	39-48, 49/50
PROPERTIES	<ul style="list-style-type: none"> <li>• Durable shaft for high wear and tear resistance</li> <li>• Oil resistant, SRA rated outsole for perfect grip</li> <li>• Extra ankle support for optimal protection</li> <li>• Protective toecap &amp; midsole</li> </ul>

---

## **FREE WEAR TRIAL?**

### **DUNLOP® HELPS YOU TO SELECT THE BEST SAFETY BOOT**

More than 20% of fatal accidents at work in the EU take place within the construction sector. Looking at non-fatal accidents, Slips, Trips and Falls are the second most common cause of serious injury (19%).

Since industrial work includes a variety of activities, we offer specific wear trial programs to help you keep your workforce as safe and comfortable as possible.

Visit our website for more information.

[WWW.DUNLOPBOOTS.COM](http://WWW.DUNLOPBOOTS.COM)



PVC

# DUNLOP® PROTOMASTER



## Functional and multi-purpose work boot

- ✓ Waterproof to give protection in wet conditions
- ✓ Oil resistant, SRA rated outsole for perfect grip
- ✓ Slip resistant to assure safe working conditions
- ✓ Protective toecap & midsole




**DISCOVER MORE**

[dunlopboots.com](http://dunlopboots.com)

GOOD



ARTICLE	142PP
DESCRIPTION	Dunlop® <b>Protomaster</b> full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	36-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Waterproof to give protection in wet conditions</li> <li>• Oil resistant, SRA rated outsole for perfect grip</li> <li>• Slip resistant to assure safe working conditions</li> </ul>
	<ul style="list-style-type: none"> <li>• Protective toecap &amp; midsole</li> </ul>



ARTICLE	142YP
DESCRIPTION	Dunlop® <b>Protomaster</b> full safety
STANDARD	EN ISO 20345:2011 S5 SRA
SIZE RANGE	36-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Waterproof to give protection in wet conditions</li> <li>• Oil resistant, SRA rated outsole for perfect grip</li> <li>• Slip resistant to assure safe working conditions</li> </ul>
	<ul style="list-style-type: none"> <li>• Protective toecap &amp; midsole</li> </ul>



ARTICLE	380PP
DESCRIPTION	Dunlop® <b>Pricemaster</b> ®
STANDARD	CE
SIZE RANGE	35-48
PROPERTIES	<ul style="list-style-type: none"> <li>• Waterproof to give protection in wet conditions</li> </ul>



## ADDITIONAL COMFORT



ARTICLE	Z915008 [LOW], Z925008 [MID], Z935008 [HIGH]	Z920005	Z910005
DESCRIPTION	Dunlop® <b>Insoles Premium</b>	Dunlop® <b>Insoles Comfort</b>	Dunlop® <b>Insoles Basic</b>
SIZE RANGE	EU 36/38, 39/41, 42/44, 45/47, 48/50 UK 3/5, 6/7, 8/10, 11/12, 13/15	36 – 48, 49/50	37 – 48
FEATURES	<ul style="list-style-type: none"> <li>• Hard support shell for optimal arch support</li> <li>• Tear shaped heel pad for better shock absorption</li> <li>• Soft foam for all day footbed cushioning</li> </ul>	<ul style="list-style-type: none"> <li>• Arch, heel and metatarsal support to reduce fatigue</li> <li>• Energy absorption at the heel to reduce fatigue</li> </ul>	<ul style="list-style-type: none"> <li>• Absorbs three times its own weight of moisture</li> <li>• Energy absorption at the heel to reduce fatigue</li> </ul>



---

## OUR DUNLOP MISSION

You're the world's makers and doers.  
The power behind the economy.  
The rebuilders, the growers,  
the movers and the diggers.

We depend on you.  
For food and shelter.  
Roads and bridges.  
Warmth and energy.  
Safety and security.  
Our world depends on you.  
Day in and day out,  
you work with care and dedication.  
And that's why, day in and day out, we work for you.  
By innovating to make the best product.  
For you.

That's why we reinvented rubber  
and made a boot out of Purofort®.  
To give you the safety and comfort  
that you deserve.

We salute you.

# DUNLOP® PROTECTIVE FOOTWEAR

## YOUR TRUSTED GLOBAL PARTNER



 Dunlop® production locations

### Icon Explanation

									
S5- CERTIFIED	S4- CERTIFIED	SB- CERTIFIED	04 - CERTIFIED	CE- CERTIFIED	OB- CERTIFIED	SLIP RESISTANT OUTSOLE	SLIP RESISTANT OUTSOLE	PROTECTIVE TOECAP + MIDSOLE	PROTECTIVE TOECAP
									
WATERPROOF	COLD INSULATION	OIL RESISTANT OUTSOLE	CHEMICAL RESISTANT	ENERGY ABSORBING	ANTISTATIC	COMFORT	ANKLE PROTECTION	HEAT RESISTANT	CUT RESISTANT

#### REACH compliant

All Dunlop® boots are produced according to the latest REACH regulation and do not contain any restricted substances.

### CONTACT

Dunlop® Protective Footwear  
Boeierstraat 12  
NL-8102 HS Raalte  
The Netherlands

T +31 (0)572 341 550  
F +31 (0)572 362 206  
E info@dunlopboots.com



**CONTACT US**  
dunlopboots.com

Dunlop® Protective Footwear works closely with:



Tested & Certified by:



# Kontaktujte nás


## CENTRÁLA

### Predajňa / Sklad

Vajnorská 131/A,  
Bratislava 831 04



tel.: 02/44458685  
tel/fax: 02/44458684  
e-mail: [lubica@lubica.eu](mailto:lubica@lubica.eu)  
web: [www.lubica.sk](http://www.lubica.sk)



### Otváracie hodiny

Pondelok	8:00 - 17:00
Utorok	8:00 - 17:00
Streda	8:00 - 17:00
Štvrtok	8:00 - 17:00
Piatok	8:00 - 15:00
Sobota	Zatvorené
Nedeľa	Zatvorené

**lubica**

Viac informácií o produktoch **nájdete na [www.lubica.sk](http://www.lubica.sk)**